

November 28, 2021

Safety Data Sheet

According to Regulation (EC) No. 1907/2006 and 1272/2008 **Prepared For:** Shenzhen Foresight Innovations Technology Co., Ltd. Floor 4, 1# Lichun Building, Taihuawutong Industrial Park, Sanwei Community, Address: Hangcheng Sub-district, Bao'an District, Shenzhen, CHINA E-liquid-Cherry Passion Fruit **Product Name: Trade Mark:** VOZOL Flavour: **Passion Fruit** 20mg/mL Nicotine Conc.: **Prepared By:** Shenzhen Element Testing Co., Ltd. 401, Plant 2, No. 76, Longlingbei Rd, Pingxi, Pingdi St, Longgang Dist, Address: Shenzhen, 518117, China Signed for and on behalf of Shenzhen Element Testing Co., Ltd. Kim Zhang **Technical Manager**

Printing date 26.11.2021

Revision: 26.11.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: <u>E-liquid-Passion Fruit</u>

- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the mixture: E-liquid used in E-cigarette
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Shenzhen Foresight Innovations Technology Co., Ltd.

Floor 4, 1 # Lichun Building, Taihuawutong Industrial Park, Sanwei Community, Hangcheng Sub-district, Bao'an District, Shenzhen, CHINA

Contact

Tel:+86-(0)18503019296 *Email:daisy@vozoltech.com*

- Only Representative/ other EU contact point: Not available
- Further information obtainable from: Shenzhen Foresight Innovations Technology Co., Ltd.


• **1.4 Emergency telephone number:** LEO Tel:+86-(0)18503019296 Email:daisy@vozoltech.com

GERMANY Poison Center Berlin - Institute of Toxicology Tel: +49 030 192 40

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



Acute Tox. 3 H301 Toxic if swallowed. Acute Tox. 2 H330 Fatal if inhaled.

GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

- · Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of Regulation (EC) No 1272/2008. • Classification system:

The classification is according to the latest edition of Regulation (EC) No 1272/2008, and extended by company and literature data.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling: nicotine*

(Contd. on page 2)

EU

EU

Safety data sheet Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 26.11.2021

Revision: 26.11.2021

Trade name: E-liquid-Passion Fruit

5 7-dihvd	contd. of page 1 (Contd. of page 1)
	ethyl ketone
• Hazard si	
-	
	cic if swallowed.
	rmful in contact with skin.
	tal if inhaled.
	onary statements
P101	If medical advice is needed, have product container or label at hand.
P102	
P103	Read carefully and follow all instructions.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P3	210 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P330	Rinse mouth.
P320	Specific treatment is urgent (see on this label).
P362+P3	64 Take off contaminated clothing and wash it before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	Il information:
EUH208	Contains linalool. May produce an allergic reaction.

- Results of PBT and vPvB assessment
- · *PBT:* Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture of the substances listed below with nonhazardous additions. For the wording of the listed hazard statements refer to Section 16.

· Composition:		
CAS: 57-55-6 EINECS: 200-338-0	Propylene glycol substance with a Community workplace exposure limit	45.7%
CAS: 56-81-5 EINECS: 200-289-5	Glycerol substance with a Community workplace exposure limit	45.6%
CAS: 54-11-5 EINECS: 200-193-3 Index number: 614-001-00-4	nicotine Acute Tox. 2, H300; Acute Tox. 2, H310; Acute Tox. 2, H330; Aquatic Chronic 2, H411	2.0%
CAS: 36267-71-7 EINECS: 252-940-8	5,7-dihydro-2-methylthieno[3,4-d]pyrimidine	2.0%
CAS: 105-54-4 EINECS: 203-306-4	ethyl butyrate 🚸 Flam. Liq. 3, H226	- 0.9%
CAS: 39067-80-6	Thiogeraniol	0.5%
CAS: 141-78-6 EINECS: 205-500-4 Index number: 607-022-00-5	ethyl acetate	- 0.5%
CAS: 106-32-1 EINECS: 203-385-5	ethyl octanoate	0.5%
CAS: 165450-17-9	Neotame	0.5%
CAS: 1192-62-7 EINECS: 214-757-1	2-furyl methyl ketone Acute Tox. 3, H301; Acute Tox. 1, H310; Acute Tox. 1, H330; Eye Irrit. 2, H319	0.3%

Printing date 26.11.2021

Revision: 26.11.2021

Trade name: E-liquid-Passion Fruit

	(Contd	. of page 2)
CAS: 4940-11-8	Ethyl maltol	0.3%
EINECS: 225-582-5	🚯 Acute Tox. 4, H302	
CAS: 78-70-6	linalool	0.3%
EINECS: 201-134-4	🚯 Skin Sens. 1B, H317	
Index number: 603-235-00-2		
CAS: 99-20-7	trehalose	0.3%
EINECS: 202-739-6		
CAS: 66-25-1	hexanal	0.2%
EINECS: 200-624-5	🚸 Flam. Liq. 3, H226; 🚸 Eye Irrit. 2, H319	
CAS: 107-92-6	butyric acid	0.2%
EINECS: 203-532-3	Skin Corr. 1B, H314	
Index number: 607-135-00-X		
CAS: 928-96-1	Leaf alcohol	0.1%
EINECS: 213-192-8	🚸 Flam. Liq. 3, H226; 🚸 Eye Irrit. 2, H319	
CAS: 109-21-7	butyl butyrate	0.1%
EINECS: 203-656-8	🚸 Flam. Liq. 3, H226	1
Index number: 607-031-00-4		

SECTION 4: First aid measures

· 4.1 Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Do not induce vomiting; call for medical help immediately. Rinse out mouth with water. Never give anything by mouth to an unconscious person. Seek medical treatment.

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

• 5.1 Extinguishing media • Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

• 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

• Protective equipment:

Mouth respiratory protective device.

(Contd. on page 4)

EU

Printing date 26.11.2021

Revision: 26.11.2021

(Contd. of page 3)

Trade name: E-liquid-Passion Fruit

Wear fully protective suit.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mouth respiratory protective device. Ensure adequate ventilation. Use respiratory protective device against the effects of fumes/dust/aerosol. Avoid contact with eyes. Avoid contact with skin.
- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation. Dispose contaminated material as waste according to item 13.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
Avoid contact with eyes and skin.
For the general occupational hygienic measures refer to Section 8.

- · Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Ingredients with limit values that require monitoring at the workplace:			
57-55-6 Propylene glycol			
MAK (Germany) als Dampf und Aerosol;vgl.Abschn.IIb und Xc			
WEL (Great Britain) Long-term value: 474* 10** mg/m³, 150* ppm *total vapour and particulates **particulates			
PRD (Lithuania)	Long-term value: 7 mg/m ³		
AER (Latvia)	Long-term value: 7 mg/m ³		
	· (Con	ntd. on page 5)	

— EU

Printing date 26.11.2021

Revision: 26.11.2021

Trade name: E-liquid-Passion Fruit

56-81-5 Glycerol	(Contd. of page		
AGW (Germany)	Long-term value: 200 E mg/m ³		
now (oermany)	2 (I);DFG, Y		
VLEP (France)	Long-term value: 10 mg/m ³		
WEL (Great Britain)	Long-term value: 10 mg/m ³		
54-11-5 nicotine			
IOELV (EU)	Long-term value: 0.5 mg/m ³		
	Skin		
AGW (Germany)	Long-term value: 0.5 mg/m ³ 2(II);EU, 11, 13, H		
VLEP (France)	Long-term value: 0.5 mg/m ³ Risque de pénétration percutanée		
WEL (Great Britain)	Short-term value: 1.5 mg/m ³		
	Long-term value: 0.5 mg/m ³ Sk		
PRD (Lithuania)	Long-term value: 0.5 mg/m ³ O		
AER (Latvia)	Long-term value: 0.5 mg/m³ Ada		
141-78-6 ethyl acetat	e		
IOELV (EU)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm		
AGW (Germany)	Long-term value: 730 mg/m ³ , 200 ppm 2(I);DFG, EU, Y		
VLEP (France)	Short-term value: 1468 mg/m³, 400 ppm Long-term value: 734 mg/m³, 200 ppm		
WEL (Great Britain)	Short-term value: 1468 mg/m ³ , 400 ppm Long-term value: 734 mg/m ³ , 200 ppm		
PRD (Lithuania)	Long-term value: 500 mg/m ³ , 150 ppm Ceiling limit: 1100 mg/m ³ , 300 ppm		
AER (Latvia)	Short-term value: 1468 mg/m ³ , 400 ppm Long-term value: 200 mg/m ³ , 54 ppm		
107-92-6 butyric acid			
•	Long-term value: 10 mg/m ³		
AER (Latvia)	Long-term value: 10 mg/m ³		
Regulatory informati MAK (Germany): MA WEL (Great Britain): PRD (Lithuania): HN AER (Latvia): MK no AGW (Germany): TR VLEP (France): ED L IOELV (EU): (EU) 20 DNELS: Data not ava PNECs: Data not ava	K- und BAT-Liste EH40/2020 23:2011 teikumi Nr. 110, 23.02.2021 GS 900 1487 12.2020 D19/1831 ailable.		
Additional informati	on: The lists valid during the making were used as basis.		
measure	ition shown in Section 3, the following measures are suggested for occupational safe		
	A ppropriate engineering controls Keep away from foodstuffs, beverages and feed.		
	stuffs, beverages and feed. all soiled and contaminated clothing.		
mandulatery remove ((Contd. on page		

(Contd. on page 6)

EU

Printing date 26.11.2021

Revision: 26.11.2021

Trade name: E-liquid-Passion Fruit

(Contd. of page 5)

Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes and skin. See Section 7 for information about design of technical facilities.

- · Personal protective equipment
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

· Environmental exposure controls:

Control measures must be made in accordance with Community environmental protection legislation.

9.1 Information on basic physical and chemical properties			
· General Information			
Appearance:	¥ · · · 1		
Form:	Liquid		
Colour:	orange-yellow		
Odour:	Passion Fruit		
Odour threshold:	Data not available.		
pH-value:	Data not available.		
Change in condition:			
Melting point/freezing point:	Data not available.		
Initial boiling point and boiling ra	nge: Data not available.		
Flash point:	Data not available.		
Flammability (solid, gas):	Not applicable.		
Auto-ignition temperature:	Data not available.		
Decomposition temperature:	Data not available.		
Self-igniting:	Product is not selfigniting.		

Printing date 26.11.2021

Revision: 26.11.2021

Trade name: E-liquid-Passion Fruit

	(Contd. of page
Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
Lower:	Data not available.
Upper:	Data not available.
• Oxidizing properties:	Data not available.
· Vapour pressure:	Data not available.
· Density:	Data not available.
· Relative density:	Data not available.
· Vapour density:	Data not available.
· Evaporation rate:	Data not available.
· Solubility in / Miscibility with	
water:	Data not available.
· Partition coefficient (n-octanol/water):	Data not available.
· Viscosity:	
Dynamic:	Data not available.
Kinematic:	Data not available.
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No decomposition if used according to specifications.

- · 10.2 Chemical stability Stable under recommended storage conditions.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Toxic if swallowed.
- Harmful in contact with skin.

Fatal if inhaled.

 LD/LC50 values relevant for classifica 	tion:	
--	-------	--

54-11-5 nicotine			
Oral	LD50	5 mg/kg (ATE)	
		50 mg/kg (rat)	
Dermal	LD50	70 mg/kg (ATE)	
		5 mg/kg (ATE) 50 mg/kg (rat) 70 mg/kg (ATE) 50 mg/kg (rat)	
Inhalative	LC50/4 h	0.19 mg/l (ATE)	

· Specific symptoms in biological assay:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Subacute to chronic toxicity:

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 8)

Printing date 26.11.2021

Revision: 26.11.2021

(Contd. of page 7)

Trade name: E-liquid-Passion Fruit

- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.
- · 12.7 Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation:

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR/RID/ADN, IMDG, IATA	UN2810
14.2 UN proper shipping name	
ADR/RID/ADN	2810 TOXIC LIQUID, ORGANIC, N.O.S. (NICOTINE, 2- furyl methyl ketone)
IMDG, IATA	TOXIC LIQUID, ORGANIC, N.O.S. (NICOTINE, 2-fury methyl ketone)
14.3 Transport hazard class(es)	
ADR/RID/ADN, IMDG, IATA	
Class	6.1 Toxic substances.
Label	6.1

Printing date 26.11.2021

Revision: 26.11.2021

Trade name: E-liquid-Passion Fruit

	(Contd. of page			
· 14.4 Packing group · ADR/RID/ADN, IMDG, IATA	111			
· 14.5 Environmental hazards	Not applicable.			
· 14.6 Special precautions for user	Warning: Toxic substances.			
· Hazard identification number (Kemler code):	60			
· EMS Number:	F-A,S-A			
· Stowage Category	A			
· Stowage Code	SW2 Clear of living quarters.			
· 14.7 Transport in bulk according to Annex II o	4.7 Transport in bulk according to Annex II of			
Marpol and the IBC Code	Not applicable.			
· 14.8 Transport/Additional information:				
· ADR/RID/ADN				
· Limited quantities (LQ):	5L			
\cdot Excepted quantities (EQ)	Code: E1			
	Maximum net quantity per inner packaging: 30 ml			
	Maximum net quantity per outer packaging: 1000 ml			
Transport category:	2			
Tunnel restriction code:	E			
· IMDG				
· Limited quantities (LQ)	5L			
\cdot Excepted quantities (EQ)	Code: E1			
-	Maximum net quantity per inner packaging: 30 ml			
	Maximum net quantity per outer packaging: 1000 ml			
· UN ''Model Regulation'':	UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (NICOTINI			
-	2-FURYL METHYL KETONE), 6.1, III			

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

• MAK(German Maximum Workplace Concentration)

None of the ingredients is listed.

· Seveso category H2 ACUTE TOXIC

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· Regulation (EU) No 649/2012

54-11-5 nicotine

Annex I Part 1 Annex I Part 2

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

• Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 10)

[·] Directive 2012/18/EU

[·] Named dangerous substances - ANNEX I None of the ingredients is listed.

⁻ EU

Printing date 26.11.2021

Revision: 26.11.2021

(Contd. of page 9)

Trade name: E-liquid-Passion Fruit

• Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations:

• Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

• Other regulations, limitations and prohibitive regulations

· SVHC Candidate List of REACH Regulation Annex XIV Authorisation

None of the ingredients is listed.

• REACH Regulation Annex XVII Restriction See Section 16 for information about restriction of use.

None of the ingredients is listed.

· REACH Regulation Annex XIV Authorisation List

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant hazard statements

H225 Highly flammable liquid and vapour.
H226 Flammable liquid and vapour.
H300 Fatal if swallowed.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Classification according to Regulation (EC) No 1272/2008

Acute toxicity - oralThe classification of the mixture is generally based on the calculation methodAcute toxicity - dermalusing substance data according to Regulation (EC) No 1272/2008.Acute toxicity - inhalation

DISCLAIMER OF LIABILITY :

The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

(Contd. on page 11)

EU

Safety data sheet Regulation (EC) No. 1907/2006 and 1272/2008

Printing date 26.11.2021

Revision: 26.11.2021

Trade name: E-liquid-Passion Fruit

	(Contd. of page 10)
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
DNEL: Derived No-Effect Level (REACH)	
PNEC: Predicted No-Effect Concentration (REACH)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Acute Tox. 2: Acute toxicity – Category 2	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 1: Acute toxicity – Category 1	
Skin Corr. 1B: Skin corrosion/irritation – Category 1B	
<i>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2</i>	
Skin Sens. 1B: Skin sensitisation – Category 1B	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
*******	*****
End of document	